



MEDICINES IN SCHOOL POLICY

Adapted from WSCC model policy and guidelines

Approved: 6 July 2022 by full governing body

Next review: 1 July 2024 by exec HT & safeguarding governor

In the context of this policy, headteacher refers to the executive headteacher if he is present or, in his absence, the head of school.

The 'lead for managing medicines' is the office manager of each school.

The templates referred to throughout this document can be found in the appendices.

CONTENTS

Organisation	2
Implementation, monitoring and review	2
Insurance	2
Admissions	2
Pupils with medical needs	2
All prescribed and non-prescribed medication	2
Confidentiality	3
Consent to administer medication	3
Prescription medicines	3
Non-prescription medicines	3
Short term ad-hoc non-prescribed medication	4
Pain relief protocol for the administration of paracetamol and ibuprofen	4
Asthma	5
Anaphylaxis	5
Mild allergic reaction	5
Hay fever	5
Severe allergic reaction	5
Medical emergencies	6
Controlled drugs	6
Pupils taking their own medication	6
Storage and access to medicines	6
Waste medication and spillages	7
Record-keeping – administration of medicines	7
Recording errors and incidents	7
Staff training	7
Educational visits (off - site one day)	8
Residential visits (overnight stays)	8
Risk assessing medicines management on all off-site visits	8
Complaints	8
Appendix 1 – WSCC care plan templates and protocols September 2017	8
Appendix 2 – WSCC administering medicines templates September 2017	8
Appendix 3 – Summary guidance medicines policy	8

Governors' statement of intent

Section 100 of the *Children and Families Act 2014* places a duty on 'governing bodies of maintained schools, proprietors of academies and management committees of PRUs to make arrangements for supporting pupils at their school with medical conditions'. The governing body of the Downland Village Schools Federation (DVSF) will ensure that these arrangements fulfil their statutory duties and follow guidance outline in '*Supporting pupils at school with medical conditions*' December 2015'.

Medicines will be administered to enable the inclusion of pupils with medical needs, promote regular attendance and minimise the impact on a pupil's ability to learn. In an emergency all teachers and other staff in charge of children have a common law duty of care to act for the health and safety of a child in their care – this might mean giving medicines or medical care.

Policy for administering medicines in school

Organisation

1. The governing body will develop policies and procedures to ensure the medical needs of pupils at our schools are managed appropriately. They will be supported with the implementation of these arrangements by the headteacher and staff.
2. In their duties staff will be guided by their training, this policy and related procedures.

Implementation, monitoring and review

3. All staff, governors, parents/carers and members of our schools' communities will be made aware of and have access to this policy.

Insurance

4. Staff who follow the procedures outlined in this policy and who undertake tasks detailed in the *RMP medical malpractice treatment table* are covered under WSCC insurance policies. The medical audit is available to view on West Sussex Services for Schools under 'guide to insurance for schools'.
5. Claims received in respect of medical procedures not covered by the insurers will be considered under the council's insurance fund.

Admissions

6. When one of our schools is notified of the admission of any pupil the 'lead for managing medicines' will seek parental consent to administer short term-ad-hoc non-prescriptions medication using 'Template B: Parent/guardian consent to administer short-term non-prescribed 'ad-hoc' medicines'. An assessment of the pupil's medical needs will be completed this might include the development of an 'individual health care plan' (IHCP) or 'education health care plan' (EHCP) and require additional staff training. The school will endeavour to put arrangements in place to support that pupil as quickly as possible. However, the school may decide (based on risk assessment) to delay the admission of a pupil until sufficient arrangements can be put in place.

Pupils with medical needs

7. The schools will follow government guidance and develop an IHCP or EHCP for any pupils who:
 - Have long term, complex or fluctuating conditions – these will be detailed using template 1 (appendix 1)
 - Require medication in emergency situations – these will be detailed using template 2 for mild asthmatics and templates 3, 4, 5 and 6 for anaphylaxis (appendix 1).

Parents/guardians should provide the headteacher with sufficient information about their child's medical condition and treatment or special care needed at school. Arrangements can then be made, between the parents/guardians, headteacher, school nurse and other relevant health professionals to ensure that the pupil's medical needs are managed well during their time in school. Healthcare plans will be reviewed by the schools annually or earlier if there is a change in a pupil's medical condition.

All prescribed and non-prescribed medication

8. On no account should an unwell child come to school with medicine. Parents may call into the schools and

administer medicine to their child, or they may request that a member of school staff administers the medicine. If a pupil refuses their medication, they should not be forced, the schools will contact the parent/guardian and if necessary the emergency services. Pupils should not bring any medication to school for self-administration.

9. The schools will keep a small stock of paracetamol, ibuprofen and antihistamine, for administration with parental consent, which will be required each time a child needs medicating for symptoms that arise during the school day. All other medication must be supplied by the parent/guardian in the original pharmacist's container clearly labelled and include details of possible side effects e.g. manufacturer's instructions and/or patient information leaflet (PIL). Medicines must be delivered to the school office with the appropriate consent form template C and/or C1 (appendix 2). The school will inform the parent/guardian of the time and dose of any medication administered at the end of each day by getting them to sign the administration of medicines form held in the school office.

Confidentiality

10. As required by the *General Data Protection Regulations (GDPR)*, school staff should treat medical information confidentially. Staff will consult with the parent, or the pupil if appropriate, as to who else should have access to records and other information about the pupil's medical needs and this should be recorded on the IHCP or EHCP. It is expected that staff with contact to a pupil with medical needs will as a minimum be informed of the pupil's condition and know how to respond in a medical emergency.

Consent to administer medication

11. Parental/guardian consent to administer medication will be required as follows:
- **Short term ad-hoc non-prescribed medication** - the schools will request parent/guardian consent to administer ad-hoc non-prescription by either using template B (appendix 2) when the pupil joins the school, or by contacting the parent / guardian to gain consent at the time of administration (conversations will be recorded). The schools will send annual reminders requesting parents/guardians to inform the school if there are changes to consent gained when the pupil joined the school. If the school is not informed of any changes by the parent/guardian it will be assumed that consent remains current.
 - **Prescribed and non-prescribed medication** - each request to administer medication must be accompanied by 'Parental consent to administer medication form (appendix 2 Template C and/or C1) or if applicable on the IHCP.

Prescription medicines

12. Medicine should only be brought to school when it is essential to administer it during the school day. In the vast majority of cases, doses of medicine can be arranged around the school day thus avoiding the need for medicine in school. Antibiotics for example are usually taken three times a day, so can be given with breakfast, on getting home from school and then at bedtime. Administration will be recorded using Template D or E and the parent/guardian informed. Parents/guardians are expected to remove any remaining medicine from school once the prescribed course has been completed.

Non-prescription medicines

13. Under exceptional circumstances where it is deemed that their administration is required to allow the pupil to remain in school we will administer non-prescription medicines. Our schools will not administer alternative treatments i.e. homeopathic or herbal potions, pills or tinctures or nutrition supplements unless prescribed or recommended by a doctor and detailed on an IHCP or EHCP as part of a wider treatment protocol. As recommended by the government in '*Supporting pupils at school with medical conditions December 2015*' our schools will also not administer aspirin unless prescribed. The storage and administration for non-prescription medication will be as for prescription medicines.
14. If the relevant symptoms develop during the school day as detailed under the paragraph below 'short term ad-hoc non-prescribed medication' the school will administer the following non-prescription medications:
- paracetamol (to pupils of all ages)
 - ibuprofen (pupils age 12 and over)
 - antihistamine,

15. All other non-prescription medications will only be administered by staff, providing:
- The parent/guardian confirms daily the time the medication was last administered and this is recorded on template C1 (appendix 2);
 - medication is licensed as suitable for the pupil's age;
 - medication is suitable for the pupil i.e. if a child is asthmatic the medication is suitable for that condition;
 - administration is required more than 3 times per day;
 - medication is supplied by the parent or guardian in the original packaging with the manufacturer's instructions and/or (PIL);
 - and accompanied by parental/guardian consent template C and C1 (appendix 2) and confirmation the medication has been administered previously without adverse effect;
16. The schools will NOT administer non-prescription medication:
- as a preventative, i.e. in case the pupil develops symptoms during the school day;
 - if the pupil is taking other prescribed or non-prescribed medication, i.e. only one non-prescription medication will be administered at a time;
 - Any requirement for a non-prescription medication to be administered during school hours for longer than 48 hours must be accompanied by a doctor's note. In the absence of a doctor's note and if following the administration of a non-prescription medication symptoms have not begun to lessen in the first 48 hours the schools will advise the parent to contact their doctor. If symptoms have begun to alleviate, the medication can continue to be administered at home out of school hours. Under very exceptional circumstances where the continued administration of a non-prescribed medication is required to keep the pupil in school and this requirement has not been documented by a medical professional the schools will continue to administer medication at their own discretion.
 - A request to administer the same or a different non-prescription medication that is for the same/initial condition will not be repeated for 2 weeks after the initial episode; and not for more than 2 episodes per term - it will be assumed that the prolonged expression of symptoms requires medical intervention, and parents/guardians will be advised to contact their doctor.
 - Skin creams and lotions will only be administered in accordance with the school's intimate care policy and procedures.
 - Medication that is sucked i.e. coughs sweets or lozenges, will not be administered by the school.
 - if parents/guardians have forgotten to administer non-prescription medication that is required before school – requests to administer will be at the discretion of the school and considered on an individual basis.

Short term ad-hoc non-prescribed medication

17. A small stock of standard paracetamol, ibuprofen and antihistamine will be kept by the schools for administration if symptoms develop during the school day.
18. ONLY the following will be administered following the necessary procedures:
- For relief from pain: standard paracetamol will be administered in liquid or tablet form for the relief of pain i.e. period pain, migraine. Standard ibuprofen will ONLY be administered in tablet form to pupils age 12 and over for period pain, migraine and muscle/skeletal disorders involving inflammation e.g. joint sprains. Ibuprofen will NOT be given to pupils diagnosed with asthma.
 - For mild allergic reaction – anti-histamine (see Anaphylaxis)
 - For travel sickness – medication will be administered if required before educational visits, must be age-appropriate and supplied by the parent/guardian in original packaging with the PIL if available.

Only 1 dose of any of the above medications suitable to the weight and age of the pupil will be administered during the school day.

Pain relief protocol for the administration of paracetamol and ibuprofen

19. If a request for non-prescribed pain relief is made by a pupil or carer/staff (advocate for a non-verbal/non-communicating pupil) before 12pm:
- The school will contact the parent/guardian and confirm that a dose of pain relief (paracetamol or ibuprofen) was NOT administered before school, parents/guardians and if appropriate the pupil will also be asked if they have taken any other medication containing pain relief medication i.e. decongestants e.g.

Sudafed, cold and flu remedies e.g. Lemsip and medication for cramps e.g. Feminax etc. and these conversations will be recorded. If a dose of pain relief has not been administered in the past 4 hours the school will, with parental consent, administer 1 dose.

- If the school cannot contact the parent/guardian and therefore cannot confirm if pain relief (paracetamol and ibuprofen) was administered before school then the school will refuse to administer pain relief.

20. If a dose of pain relief has been administered before school:

- Paracetamol: The school will not administer paracetamol until 4 hours have elapsed since the last dose (assume 8am) no more than 4 doses can be administered in 24 hours.
- Ibuprofen: The school will NOT administer Ibuprofen at all during the school day if it has been administered at home before school.

21. If a request for pain relief is made after 12pm: the school will assume the recommended time between doses has elapsed and will with parental consent, administer 1 standard of dose of paracetamol or ibuprofen without any need to confirm with the parent/guardian if a dose was administered before school, but if appropriate the pupil will still be asked if they have taken any other medication containing pain relief medication and this conversation will be recorded.

22. The school will inform the parent/guardian if pain relief has been administered this will include the type of pain relief and time of administration.

Asthma

23. We recognise that pupils with asthma need access to relief medication at all times and we will manage asthma in school as outlined in the 'Asthma toolkit'. Pupils with asthma will be required to have an emergency inhaler and a spacer (if prescribed) in school. The school may ask the pupil's parent or guardian to provide a second inhaler. Parents are responsible for this medication being in date and the school will communicate with the parents if new medication is required and a record of these communications will be kept. The school inhaler will only be used in an emergency and will always be used with a spacer as outlined in the asthma toolkit. The school staffs will develop IHCP's for those pupils with severe asthma, and complete the individual protocol for pupils with mild asthma.

Anaphylaxis

24. Every effort will be made by the schools to identify and reduce the potential hazards/ triggers that can cause an allergic reaction to pupils diagnosed with anaphylaxis within the school population. Our schools comply with the School Nursing Service recommendation that all staff are trained in the administration of auto injectors and that training is renewed annually.

25. In accordance with the medicines and healthcare products regulatory agency (MHRA) advice the schools will ask parent/ guardian(s) to provide 2 auto-injectors for school use. Parents are responsible for this medication being in date and the schools will communicate with the parents if new medication is required and a record of these communications will be kept.

Mild allergic reaction

26. Non-prescription antihistamine will, with parental consent, be administered for mild allergic reaction (e.g. itchy eyes or skin, rash or redness of the skin or eyes), with the pupil monitored for signs of further allergic reaction. If antihistamine is not part of an initial treatment plan, anaphylaxis medication will be administered following the guidance for short term ad-hoc non-prescribed medication.

27. Some antihistamine medication can cause drowsiness and therefore the school will consider if it is necessary for a pupil to avoid any contact hazardous equipment after administration of the medication i.e. P.E. science, design and technology.

Hay fever

28. Parent(s)/guardian(s) will be expected to administer a dose of antihistamine to their child before school for the treatment of hay fever. The schools will only administer antihistamine for symptoms of allergic reaction and not as a precautionary measure.

Severe allergic reaction

29. Where a GP/Consultant has recommended or prescribed antihistamine as an initial treatment for symptoms of

allergic reaction this will be detailed on the pupil's IHCP. The school will administer 1 standard dose of antihistamine (appropriate to age and weight of the pupil) and it is very important that symptoms are monitored for signs of further allergic reaction. During this time pupils must NEVER be left alone and should be observed at all times.

If symptoms develop or there are any signs of anaphylaxis, or if there is any doubt regarding symptoms, then, if the pupil has been prescribed an adrenaline auto injector, it will be administered without delay, an ambulance called and the parents informed.

Medical emergencies

30. In a medical emergency, first aid is given, an ambulance is called and parents/carers are notified. Should an emergency situation occur to a pupil who has an IHCP or EHCP, the emergency procedures detailed in the plan are followed, and a copy of the IHCP or EHCP is given to the ambulance crew. If applicable the pupil's emergency medication will be administered by trained school staff, if the pupil's medication isn't available staff will administer the school's emergency medication with prior parental consent.
31. In accordance with amendments made to the *Human Medicines Regulations 2012* from October 2014 a sufficient number of salbutamol inhaler(s) spacer(s) will be held by the schools to cover emergency use. Parents are expected to provide 2 in date auto-injectors for administration to their child, if the school does not hold 2 in-date auto-injectors for each pupil then a suitable number of auto-injectors will be purchased for use by the schools in an emergency.
32. Parental consent to administer the 'school inhaler and/or auto-injector' will be gained when the pupil joins the school using template 2 for asthmatics and templates 3, 4, 5 and 6 for anaphylaxis (appendix 1). The schools will hold a register of the pupils diagnosed with asthma and/or anaphylaxis, and if parental consent has been given to administer the schools' medication. The schools will be responsible for ensuring the schools' medication remains in date.
33. Instructions for calling an ambulance are displayed prominently by the telephone in the school offices. (appendix 2 template G)

Controlled drugs

34. Our schools do not deem a pupil prescribed a controlled drug (as defined by the Misuse of Drugs Act 1971) as competent to carry the medication themselves whilst in school. Controlled drugs will be stored securely in a non-portable locked medicines cabinet in a locked room and only named staff will have access. Controlled drugs for emergency use e.g. midazolam will not be locked away and will be easily accessible. The administration of a controlled drug will be witnessed by a second member of staff and records kept. In addition to the records required for the administration of any medication, a record will be kept of any doses used and the amount of controlled drug stock held in school. (appendix 2 templates D and E)

Pupils taking their own medication

35. For certain long-term medical conditions, it is important for children to learn how to self-administer their medication. Appropriate arrangements for medication should be agreed and documented in the pupil's IHCP or EHCP and parents should complete the self-administration section of 'Parental consent to administer medication' form (template C appendix 1).

Storage and access to medicines

36. All medicines apart from emergency medicines (inhalers, adrenaline auto injector, midazolam etc.) will be kept securely (where access by pupils is restricted). Medicines are always stored in the original pharmacist's container. Pupils are told where their medication is stored and who holds the key and staff will be fully briefed on the procedures for obtaining their medication.
37. Emergency medicines such as inhalers, adrenaline auto injectors and midazolam must not be locked away. If appropriate, certain emergency medication can be held by the pupil, or kept in a clearly identified container in his/her classroom. The school will make an assessment as to the competency of each individual pupil to carry their own medication. Parents will be asked to supply a second adrenaline auto injector and/or asthma inhaler for each child and they will be kept in the school office. Staff must ensure that emergency medication is readily available at all times i.e. during outside P.E. lessons, educational visits and in the event of an unforeseen emergency like a fire.

38. Medicines that require refrigeration are kept in the school offices to which pupil access is restricted, and will be clearly labelled in an airtight container. There are specific arrangements in place for the storage of controlled drugs (see 'Controlled drugs' above).

Waste medication and spillages

39. Where possible staff should take care to prepare medication correctly. If too much medication is drawn into a syringe the remainder (amount above the required dose) should be returned to the bottle before administration. If only a half tablet is administered the remainder should be returned to the bottle or packaging for future administration. If a course of medication has been completed or medication is date-expired it will be returned to the parent/guardian for disposal.
40. A spill must be dealt with as quickly as possible and staff are obliged to take responsibility/follow the guidelines. Spillages will be cleared up following the school's procedures and considering the control of infection. Any spilled medication will be deemed unsuitable for administration and if necessary parents will be asked to provide additional medication.
41. The schools have additional procedures in place for the management of bodily fluids which are detailed in the bodily fluids risk assessment.
42. If the schools holds any cytotoxic drugs, there management will be separately risk assessed and follow health and safety executive (HSE) guidance.

Record-keeping – administration of medicines

43. For legal reasons, records of all medicines administered to a pupil are kept at the school until the pupil reaches the age of 24. This includes medicines administered by staff during all educational or residential visits. The pupil's parent/ guardian will also be informed if their child has been unwell during the school day and medication has been administered. For record sheets see appendix 2 template D and E.

Recording errors and incidents

44. If, for whatever reason, there is a mistake made in the administration of medication and the pupil is:
- Given the wrong medication
 - Given the wrong dose
 - Given medication at the wrong time (insufficient intervals between doses)
 - Given medication that is out of date
 - Or the wrong pupil is given medication

Incidents must be reported to the senior leadership team, who will immediately inform the pupil's parent/guardian. Details of the incident will be recorded locally as part of the school local arrangements. Local records must include details of what happened, the date, who is responsible and any effect the mistake has caused. Senior leaders will investigate the incident and change procedures to prevent reoccurrence if necessary. NB: Incidents that arise from medical conditions that are being well managed by the schools do not need to be reported or recorded locally.

Staff training

45. The schools will ensure a sufficient number of staff complete managing medicines in school training before they can administer medication to pupils. The schools will also ensure that other staff who may occasionally need to administer a medicine are instructed and guided in the procedures adopted by the schools by the person who has completed the managing medicines course. Staff given instruction by the lead for medicines (ie office manager) MUST complete a competency test and achieve a score of 100% in order to administer medication.
46. Supply and locum staff will be given appropriate instruction and guidance in order to support the pupils with medical needs in their care. All school staff are trained annually to administer an auto-injector and asthma inhaler in an emergency.
47. A record of all training must be maintained to show the date of training for each member of staff and when repeat or refresher training is required. The schools will ensure that the staff who administer medicine for specific chronic conditions are trained to administer those specific medicines, for example, diabetes (insulin) epilepsy (midazolam). Training in the administration of these specific medicines is arranged via the school nurse.

Educational visits (off - site one day)

48. Staff will administer prescription medicines to pupils when required during educational visits. Parents should ensure they complete a consent form (appendix 2 template C) and supply a sufficient amount of medication in its pharmacist's container. Non-prescription medicines as detailed in this policy can be administered by staff, pupils must not carry non-prescription medication for self-administration.
49. All staff will be briefed about any emergency procedures needed with reference to pupils where needs are known and copies of care plans will be taken by the responsible person.

Residential visits (overnight stays)

50. We acknowledge the common law 'duty of care' to act like any prudent parent. This extends to the administration of medicines and taking action in an emergency, according to the care plan.
51. Occasionally it may be necessary to administer non-prescription medicines as described in this policy i.e. antihistamine to pupils suffering from an allergic reaction or paracetamol for acute pain from things like headache, period pain, toothache etc. Parents must give written consent prior to the residential visit and sign to confirm that they have administered the medication without adverse effect.
52. The schools will keep their own supplies of the following non-prescription medication (as detailed above) for administration to pupils during a residential visit and parental consent will be required in order for the schools to administer their supply (appendix 2 template C and C1). The medication will be stored and administration recorded as for prescription medicines. Pupils should not bring non-prescribed medication on the residential visit for self-administration.

Risk assessing medicines management on all off-site visits

53. Pupils with medical needs shall be included in visits as far as this is reasonably practicable. School staff will discuss any issues with parents and/or health professionals so that extra measures (if appropriate) can be put in place. A copy of the pupil's IHCP or EHCP will be taken on the visit and detail arrangements relating to the management of their medication(s) during the visit should be included in the plan.
54. If a pupil requires prescribed or non-prescribed medication during a visit and an IHCP or EHCP has not been developed and the management of their medication differs from procedures followed whilst in school, the school will conduct a risk assessment and record their findings.
55. Travelling abroad – a risk assessment will be developed considering parental and medical advice and documented on the pupils IHCP or EHCP. If an IHCP or EHCP has not been developed, the schools will record their findings. Best practice would be to translate these documents to the language of the country being visited. The international emergency number should be on the care plan (112 is the EU number). Appropriate insurance should be applied for by parents and supplied to the schools prior to travel for all pupils that travel abroad.
56. The results of risk assessments however they are recorded i.e. IHCP, EHP etc. will be communicated to the relevant staff and records kept of this communication.

Complaints

57. Issuing arising from the medical treatment of a pupil whilst in school should in the first instance be directed to the headteacher. If the issue cannot easily be resolved the headteacher will inform the governing body who will seek resolution.

Appendix 1 – WSCC care plan templates and protocols September 2017

Appendix 2 – WSCC administering medicines templates September 2017


Appendix 3 – Summary guidance medicines policy

APPENDIX 1:

WSCC care plan templates - supporting pupils with medical conditions

Contents
Model process for developing individual health care plans
Template 1 – Individual health care plan (IHCP)
Template 2: Individual protocol for mild asthma
Template 3 : Individual protocol for antihistamine as an initial treatment protocol for mild allergic reaction
Template 4 : Individual protocol for an emerade adrenaline auto injector
Template 5 : Individual protocol for an epipen adrenaline auto injector
Template 6 : Individual protocol for a jext pen adrenaline auto injector
Template 7 : Model letter inviting parents to contribute to an individual health care plan development
Template 8: Example letter to send to parent/guardian who has not provided an in-date inhaler or auto injector.
Administering paracetamol poster
Administering ibuprofen poster

Model process for developing individual healthcare plans



Template 1: individual healthcare plan (IHCP)



Attach
photograph
here

Child's name	
Group/class/form	
Date of birth	
Child's address	
Medical diagnosis or condition	
Date	
Review date	

Name	
Relationship to child	
Phone no. (work)	
(home)	
(mobile)	
Name	
Relationship to child	
Phone no. (work)	
(home)	
(mobile)	

Name	
Phone no.	

Name	
Phone no.	
Who is responsible for providing support in school	

Describe medical needs and give details of child's symptoms, triggers, signs, treatments, facilities, equipment or devices, environmental issues etc.

Name of medication, dose, method of administration, when to be taken, side effects, contra-indications, administered by/self-administered with/without supervision

Daily care requirements

Specific support for the pupil's educational, social and emotional needs

Arrangements for school visits/trips etc

Other information

Describe what constitutes an emergency, and the action to take if this occurs

Who is responsible in an emergency (state if different for off-site activities)

Plan developed with

Staff training needed/undertaken – who, what, when

The above information is, to the best of my knowledge, accurate at the time of writing and I give consent to school/setting staff administering medicine in accordance with the school/setting policy. I will inform the school/setting immediately, in writing, if there is any change in dosage or frequency of the medication or if the medicine is stopped. I agree that my child's medical information can be shared with school staff responsible for their care.

Signed by parent or guardian


Print name

Date

Review date

Copies to:

Template 2: Individual protocol for mild asthma



Please complete the questions below, sign this form and return without delay.

CHILD'S NAME.....

D.O.B.

Class

Contact Information

Name					Relationship to pupil			
Phone numbers	Work		Home		Mobile		Other	

If I am unavailable please contact:

Name					Relationship to pupil			
Phone numbers	Work		Home		Mobile		Other	

1. Does your child need an inhaler in school? Yes/No (delete as appropriate)

2. Please provide information on your child's current treatment. (Include the name, type of inhaler, the dose and how many puffs?)

.....

Do they have a spacer?

.....

3. What triggers your child's asthma?

.....

4. It is advised that pupils have a spare inhaler in school. Spare inhalers may be required in the event that the first inhaler runs out is lost or forgotten. Inhalers must be clearly labelled with your child's name and must be replaced before they reach their expiry date. The schools will also keep a salbutamol inhaler for emergency use.

Please delete as appropriate:

- My child carries their own inhaler YES/NO
- My child REQUIRES/DOES NOT REQUIRE a spacer and I have provided this to the school office
- I am aware I am responsible for supplying the schools with in date inhaler(s)/spacer for school use and will supply this/these as soon as possible. YES/NO

5. Does your child need a blue inhaler before doing exercise/PE? If so, how many puffs?

.....

6. Do you give consent for the following treatment to be given to your child as recognised by Asthma Specialists in an emergency? - Yes/No (delete as appropriate)

- Give **6 puffs of the blue inhaler via a spacer**
- Reassess after 5 minutes
- If the child still feels wheezy or appears to be breathless they should have a further **4 puffs of the blue inhaler via a spacer**
- Reassess after 5 minutes
- **If their symptoms are not relieved with 10 puffs of blue inhaler then this should be viewed as a serious attack:**
- **CALL AN AMBULANCE and CALL PARENT**
- **While waiting for an ambulance continue to give 10 puffs of the reliever inhaler every few minutes**

Please sign below to confirm you agree the following:

- I agree to ensure that my child has in-date inhalers and a spacer (if prescribed) in school.
- I give consent for the schools to administer my child's inhaler in accordance with the emergency treatment detailed above.
- I agree that the schools can administer the schools emergency salbutamol inhaler if required.
- I agree that my child's medical information can be shared with school staff responsible for their care.

Signed:.....Print name..... Date.....

I am the person with parental responsibility

Please remember to inform the schools if there are any changes in your child's treatment or condition. Thank you

Parental Update (only to be completed if your child no longer has asthma)	
My child no longer has asthma and therefore no longer requires an inhaler in school or on school visits.	
Signed	Date
I am the person with parental responsibility	

For office use:

	Provided by parent/school	Location (delete as appropriate)	Expiry date	Date of phone call requesting new inhaler	Date of letter (attach copy)
1 st inhaler		With pupil/In classroom			
2 nd inhaler Advised		In office/first aid room			
Spacer (if required)					
Record any further follow up with the parent/carer:					

Template 3 : Individual protocol for antihistamine as an initial treatment protocol for mild allergic reaction



School use attach
photo here

CHILD'S NAME.....

D.O.B.

Class

Nature of allergy:

.....

Contact Information

Name					Relationship to pupil		
Phone numbers	Work		Home		Mobile		Other

If I am unavailable please contact:

Name					Relationship to pupil		
Phone numbers	Work		Home		Mobile		Other

GP	Clinic/ Hospital Contact
Name:	Name:
Phone No:	Phone No:
Address:	Address:

MEDICATION - Antihistamine

Name of antihistamine & expiry date

- It is the parents responsibility to ensure the Antihistamine has not expired

Dosage & Method: **As prescribed on the container.**

- It is the schools responsibility to ensure this care plan is reviewed and parents inform the schools of any changes in condition or treatment.

Agreed by (school representative) Date.....

I agree that the medical information contained in this plan may be shared with individuals involved with my child's care and education, and I give my consent to the schools to administer anti-histamine as part of my child's treatment for anaphylaxis. I confirm I have administer this medication in the past without adverse effect.

Signed:..... Print name..... Date.....
I am the person with parental responsibility

Individual protocol for using Antihistamine (e.g. Piriton)

Symptoms may include:

- Itchy skin
- Sneezing, itchy eyes, watery eyes, facial swelling (does not include lips/mouth)

Stay Calm

Reassure
.....

Give Antihistamine

delegated person responsible to administer antihistamine, as per instructions on prescribed bottle

Observe patient and monitor symptoms

Inform parent/guardian to collect

.....

from school

If symptoms progress and there is any difficulty in swallowing/speaking

/breathing/

cold and clammy

Dial 999

A = Airway

B = Breathing

C = Circulation

If child is prescribed an

If symptoms progress Dial 999 - Telephone for an ambulance

You need to say: "I have a child in anaphylactic shock".


Give school details:

Give details: Pupils name has a severe allergy and what has happened.

DO NOT PUT THE PHONE DOWN UNTIL YOU ARE SURE ALL THE NECESSARY INFORMATION HAS BEEN GIVEN

Someone to wait by the school gate to direct the ambulance staff straight to the child.

Template 4 : Individual protocol for an Emerade adrenaline auto injector



CHILD'S NAME.....

D.O.B.

Class

Nature of allergy:

Contact Information

Name				Relationship to pupil			
Phone numbers	Work		Home		Mobile		Other

If I am unavailable please contact:

Name				Relationship to pupil			
Phone numbers	Work		Home		Mobile		Other

GP

Name:

Phone No:

Address:

Clinic/ Hospital Contact

Name:

Phone No:

Address:

MEDICATION Emerade

Name on Emerade & expiry date:

- It is the parents responsibility to supply 2 EMERADE auto injectors and to ensure they have not expired

Dosage & Method: **1 DOSE INTO UPPER OUTER THIGH**

- The schools staff will take all reasonable steps to ensure does not eat any food items unless they have been prepared / approved by parents
- It is the schools responsibility to ensure this care plan is reviewed and parents inform the schools of any changes in condition or treatment.

Agreed by: school representative.....Date.....

- I agree that the medical information contained in this plan may be shared with individuals involved with my child's care and education.
- I give my consent for the schools to administer my child's Emerade or the schools held adrenaline auto-injector (if my child's pen is lost/forgotten or malfunctions) to be administered in an emergency as detailed in this plan

Signed:..... Print name..... Date.....

I am the person with parental responsibility

Individual protocol for using an EMERADE (Adrenaline auto injector)

Symptoms may include:

- Difficulty in swallowing / speaking / breathing
- Wheezy / irregular breathing / excessive coughing
- Hoarseness
- Nettle rash (hives) anywhere on body
- Sense of impending doom
- Swelling of throat and mouth
- Abdominal pain, nausea & vomiting
- Feeling of weakness (BP drops)

Stay Calm

Reassure.....

**One member of staff to
Dial 999**

REMEMBER

Give EMERADE first

then dial 999

Administer Emerade in the upper outer thigh

Remove cap protecting the needle

Hold Emerade against upper outer thigh and press it against patients leg. You will hear a click when the adrenaline is injected.

**Hold Emerade in place
for 10 seconds.**

Can be given through clothing, but not very thick clothing.

Note time injection given.

Call Parents

Reassure

.....

Telephoning for an ambulance

You need to say: "I have a child in anaphylactic shock".

Give school details:

Give details: Childs name has a severe allergy and what has happened.

DO NOT PUT THE PHONE DOWN UNTIL YOU ARE SURE ALL THE NECESSARY INFORMATION HAS BEEN GIVEN

Someone to wait by the school gate to direct the ambulance staff straight to the child.

Template 5 : Individual protocol for an EpiPen adrenaline auto injector



School use attach photo here

CHILD'S NAME.....

D.O.B.

Class

Nature of allergy:

Contact Information

Name					Relationship to pupil		
Phone numbers	Work		Home		Mobile		Other

If I am unavailable please contact:

Name					Relationship to pupil		
Phone numbers	Work		Home		Mobile		Other

GP **Clinic/ Hospital Contact**

Name: Name
 Phone No: Phone No:
 Address: Address:

MEDICATION EPIPEN

Name on EPIPEN & Expiry date:

- It is the parents responsibility to supply 2 EPIPEN auto injectors and to ensure they have not expired

Dosage & Method: **1 DOSE INTO UPPER OUTER THIGH**

- The schools staff will take all reasonable steps to ensure does not eat any food items unless they have been prepared / approved by parents
- It is the schools responsibility to ensure this care plan is reviewed and parents inform the schools of any changes in condition or treatment.

Agreed by: (School representative) Date.....

- I agree that the medical information contained in this plan may be shared with individuals involved with my child's care and education.
- I give my consent for the schools to administer my child's EpiPen or the schools held adrenaline auto-injector (if my child's pen is lost/forgotten or malfunctions) to be administered in an emergency as detailed in this plan

Signed:..... Print name..... Date.....
I am the person with parental responsibility

Individual protocol for using an Epipen (Adrenaline Auto injector)

Symptoms may include:

- Difficulty in swallowing / speaking / breathing
- Wheezy / irregular breathing / excessive coughing
- Hoarseness
- Nettle rash (hives) anywhere on body
- Sense of impending doom
- Swelling of throat and mouth
- Abdominal pain, nausea & vomiting
- Feeling of weakness (BP drops)

Stay Calm

Reassure

One member of staff to Dial 999

REMEMBER

A = AIRWAY

Give EPIPEN first then dial 999

Administer Epipen in the upper outer thigh

Remove grey safety cap

Hold epipen with black tip
downwards against thigh

jab firmly.

Hold epipen in place

for 10 seconds

Can be given through clothing, but
not very thick clothing.

Note time of injection given

Call Parents

Reassure

.....

Telephoning for an ambulance

You need to say: "I have a child in anaphylactic shock".

Give school details:

Give details: Child's name has a severe allergy and what has happened.

DO NOT PUT THE PHONE DOWN UNTIL YOU ARE SURE ALL THE NECESSARY INFORMATION HAS BEEN GIVEN

Someone to wait by the school gate to direct the ambulance staff straight to the child.



Template 6 : Individual protocol for an Jext pen adrenaline auto injector

CHILD'S NAME.....

D.O.B.

Class

Nature of allergy:

Contact Information

Name					Relationship to pupil		
Phone numbers	Work		Home		Mobile		Other

If I am unavailable please contact:

Name					Relationship to pupil		
Phone numbers	Work		Home		Mobile		Other

GP

Name:

Phone No:

Address:

Clinic/ Hospital Contact

Name:

Phone No:

Address:

MEDICATION JEXT

Name on JEXT & expiry date:

- It is the parents responsibility to supply 2 JEXT pen auto injectors and to ensure they have not expired

Dosage & Method: **1 DOSE INTO UPPER OUTER THIGH**

- The schools staff will take all reasonable steps to ensure does not eat any food items unless they have been prepared / approved by parents
- It is the schools responsibility to ensure this care plan is reviewed and parents inform the schools of any changes in condition or treatment.

Agreed by: (school representative) Date.....

- I agree that the medical information contained in this plan may be shared with individuals involved with my child's care and education.
- I give my consent for the schools to administer my child's Jext pen or the schools held adrenaline auto-injector (if my child's pen is lost/forgotten or malfunctions) to be administered in an emergency as detailed in this plan.

Signed:..... Print name..... Date.....

I am the person with parental responsibility

Individual protocol for using a JEXT Pen (Adrenaline Autoinjector)

Symptoms may include:

- Difficulty in swallowing / speaking / breathing
- Wheezy / irregular breathing / excessive coughing
- Hoarseness
- Nettle rash (hives) anywhere on body
- Sense of impending doom
- Swelling of throat and mouth
- Abdominal pain, nausea & vomiting
- Feeling of weakness (BP drops)

Stay Calm

Reassure

**One member of staff to
Dial 999**

REMEMBER

A = AIRWAY

Give JEXT pen first

Then call 999 Administer in the upper thigh

Remove yellow cap, place black tip against upper outer thigh, push injector firmly into thigh until it clicks.

**Hold in JEXT Pen in place for 10
seconds.**

Can be given through clothing, but not very thick clothing

Note time of injection given

If no improvement give

2nd JEXT Pen

5 minutes later

Call Parents

Reassure

.....

Telephoning for an ambulance

You need to say: "I have a child in anaphylactic shock".

Give school details:

Give details: Child's name has a severe allergy and what has happened.

DO NOT PUT THE PHONE DOWN UNTIL YOU ARE SURE ALL THE NECESSARY INFORMATION HAS BEEN GIVEN

Someone to wait by the school gate to direct the ambulance staff straight to the child.



Template 7: model letter inviting parents to contribute to individual healthcare plan development

Dear Parent/Guardian

DEVELOPING AN INDIVIDUAL HEALTHCARE PLAN FOR YOUR CHILD

Thank you for informing us of your child's medical condition. I enclose a copy of the school's policy for supporting pupils at school with medical conditions for your information.

A central requirement of the policy is for an individual healthcare plan to be prepared, setting out what support the each pupil needs and how this will be provided. Individual healthcare plans are developed in partnership between the school, parents, pupils, and the relevant healthcare professional who can advise on your child's case. The aim is to ensure that we know how to support your child effectively and to provide clarity about what needs to be done, when and by whom. Although individual healthcare plans are likely to be helpful in the majority of cases, it is possible that not all children will require one. We will need to make judgements about how your child's medical condition impacts on their ability to participate fully in school life, and the level of detail within plans will depend on the complexity of their condition and the degree of support needed.

A meeting to start the process of developing your child's individual health care plan has been scheduled for **xx/xx/xx**. I hope that this is convenient for you and would be grateful if you could confirm whether you are able to attend. The meeting will involve [the following people]. Please let us know if you would like us to invite another medical practitioner, healthcare professional or specialist and provide any other evidence you would like us to consider at the meeting as soon as possible.

If you are unable to attend, it would be helpful if you could complete the attached individual healthcare plan template and return it, together with any relevant evidence, for consideration at the meeting. I [or another member of staff involved in plan development or pupil support] would be happy for you contact me [them] by email or to speak by phone if this would be helpful.

Yours sincerely



Template 8: Example letter to send to parent/guardian who has not provided an in-date inhaler or auto injector.

Please amend as necessary for the individual circumstances.

Dear (Name of parent)

Following today's phone call regarding (name of pupil)'s asthma inhaler/adrenaline auto injector, I am very concerned that in date medication has not been provided. You have confirmed on the Individual Protocol that (name of pupil) requires an inhaler in school and you have agreed to provide the medication. Please ensure that the following are provided without delay:

- an inhaler/ adrenaline auto injector
- a spacer

If (name of pupil) no longer requires an inhaler/auto injector, please inform the schools in writing as soon as possible.

Please be aware that in the absence of in date medication, should (name of pupil) suffer an attack, and you have given your consent staff will administer the schools reliever inhaler/adrenaline auto injector. However if you have not given consent for the schools reliever inhaler/adrenaline auto injector to be administered staff will not be able to follow suitable emergency procedures. They will be reliant on calling 999 and awaiting the Emergency Services.

Yours sincerely

Protocol for the administration of paracetamol

- Paracetamol can be administered to children of any age, dose must be suitable for their age and weight
- Verbal parental consent must be gained during the day to administer paracetamol between the start of school day and 12pm. If the parents cannot be contacted paracetamol cannot be administered. Conversation with parent/guardian must be recorded.
- The schools can administer paracetamol without additional parental consent on the day between 12pm and end of school day.
- If paracetamol is administered at any time during the school day parents will be informed of the time of administration and dosage.
- The schools will keep records of the administration of paracetamol as for prescribed medication.
- Pupils must not bring paracetamol (or other types of painkillers) to school for self-administration.

Use with caution:

- Liver problems
- Kidney problems
- Long term malnutrition
- Long term dehydration

SIDE EFFECTS:

- Allergic reaction rash, swelling difficulty breathing
- Low blood pressure and a fast heartbeat
- Blood disorders
- Liver and kidney damage

Do not administer if the pupil is also taking any of the following drugs:

- Metoclopramide (relieves sickness and indigestion)
- Carbamazepine (treats a number of conditions including epilepsy)
- Phenobarbital or phenytoin (used to control seizures)
- Lixisenatide – used to treat type 2 diabetes)
- Imatinib – used to treat leukaemia
- **Other drugs containing paracetamol e.g. Lemsip. Sudofed. Feminax**

IF YOU SUSPECT AN OVERDOSE CALL 999 IMMEDIATELY

only 4 dose in 24 hours

- Ibuprofen can ONLY be administered to pupils AGE 12 and OVER and dose must be suitable for their age and weight for period pain, migraine and pain symptoms that include inflammation/swelling e.g. joint pain, sprains;
- Verbal parental consent must be gained during the day to administer ibuprofen between the start of school day and 12pm. If the parents cannot be contacted ibuprofen cannot be administered. Conversation with parent/guardian must be recorded.
- If parents confirm they have administered Ibuprofen in the morning then the schools CANNOT ADMINISTER ANOTHER DOSE that day.
- The schools can administer Ibuprofen without additional parental consent on the day between 12pm and end of school day.
- If Ibuprofen is administered at any time during the school day parents will be informed of the time of administration and dosage.
- The schools will keep records of the administration of Ibuprofen as for prescribed medication.
- Pupils must not bring Ibuprofen (or other types of painkillers) to school for self-administration.

DO NOT ADMINISTER TO ASTHMATICS

Use with caution:

Kidney or liver problems
Stomach ulcer
Heart problems
Lupus
Crohn's disease or ulcerative colitis
High blood pressure
Stroke
Pregnancy

SIDE EFFECTS

nausea or vomiting constipation or diarrhoea
indigestion or abdominal pain headache or
dizziness
bloating (fluid retention)
raised blood pressure
allergic reaction e.g. rash
worsening asthma
kidney failure
black stools /blood in stool

Do not administer if the pupil is also taking any of the following drugs:

Other Non-steroidal anti-inflammatory drugs (NSAID's) should not take more than one NSAID at a time
Anti-depressants
Beta blockers to treat high blood pressure/migraines
Diuretics – to remove excess fluid in the body

**IF YOU SUSPECT AN OVERDOSE CALL 999
IMMEDIATELY only 3 doses in 24 hours**

APPENDIX 2:

WSCC administering medicines templates

Contents
Template A – Pupil health information form
Template B – Parent/guardian consent to administer short-term non-prescribed ‘ad-hoc’ medicines
Template C – Parental consent to administer medicine
Template C1 – Individual protocol for non-prescribed medication
Template D – Record of medicine administered to an individual child
Template E – Record of medicine administered to all children
Template F – Staff training record – administration of medicines
Template G – Contacting the emergency services
Template H - Consent to administer non-prescribed medication on a school trip



Template A:

Pupil health information form

This information will be kept securely with your child's other records. If further information is needed we will contact you. Please do not hesitate to contact the schools if there are any issues you wish to discuss.

Childs name	Date of birth
Gender	Year
Child's doctor – name	Child's doctor – telephone number

Please complete if applicable

Has your child been diagnosed with or are you concerned about any of the following:

Condition	Yes	No	Medication
Asthma NB:Parents of pupils with mild asthma must also sign an asthma protocol form (template 2 in Appendix 1) available from the school			
Allergies/anaphylaxis NB:Parents of pupils prescribed an auto injector must also sign The relevant auto injector protocol form (template 3, 4, 5 in Appendix 1 or available from the school)			


Epilepsy			
Diabetes			

Is your child taking regular medication for any condition other than those listed on the previous page – continue on a separate sheet if necessary.

Condition	Medication, emergency requirements

--	--

Please use the space below to tell us about any other concerns you have regarding your child's health, continue on a separate sheet if necessary:



Thank you



Template B:

Parent/guardian consent to administer short-term non-prescribed 'ad-hoc' medicines

The schools will not administer medication unless this form is completed and signed. This information will be kept securely with your child's other records. If further information is needed we will contact you. Please do not hesitate to contact the schools if there are any issues you wish to discuss.

Pupils name	Date of birth
Gender	Year

The Medicines Policy permits the schools to administer the following non-prescription medication if your child develops the relevant symptoms during the school day. Pupils will be given a standard dose suitable to their age and weight. You will be informed when the schools has administered medication. The schools holds a small stock of the following medicines:

Paracetamol Administered with no adverse effect

Ibuprofen (pupils age 12 and over) Administered with no adverse effect

Anti-histamine Administered with no adverse effect

Tick the non-prescription medications above that you give your consent for the schools to administer during the school day and confirm that you have administered these medications in the past without adverse effect. Please keep the schools informed of any changes to this consent.

Signature(s) Parent/Guardian

Date

Print name



Template C1

Individual protocol for non-prescribed medication

This form should be completed in conjunction with Template C – parental consent

Under exceptional circumstances where it is deemed that their administration is required to allow the pupil to remain in school the schools will administer non-prescription medicines for a maximum of 48 hours.

Date (requirement reviewed daily)	Time last dose administered at home as informed by parent/guardian	Dosage given in school	Time	Comments
Day 1				
Day 2				

3 main side effects of medication as detailed on manufacturer's instructions or PIL		
1.	2.	3.

Emergency procedures – if the pupil develops any of the signs or symptoms mentioned above or any other signs of reaction as detailed on the manufacturer's instructions and/or PIL this might be a sign of a negative reaction or if it is suspected that the child has taken too much medication in a 24 hour period staff will call 999 and then contact the parent/guardian(s).

I agree that the medical information contained in this plan may be shared with individuals involved with my child's care and education.

I am aware that each day I must inform the schools when I last administered the medication and that I will be informed by the schools in writing when medication has been administered by (insert method of communication).

Agreed by: Parent/guardian.....Date.....



Template D:

Record of medicine administered to an individual child

Name of child
 Date medicine provided by parent
 Group/class/form
 Quantity received
 Name and strength of medicine
 Expiry date
 Quantity returned
 Dose and frequency of medicine

Staff signature

Signature of parent

Date
 Time given
 Dose given
 Controlled drug stock
 Name of member of staff
 Staff initials
 Witnessed by

Date
 Time given
 Dose given
 Controlled drug stock
 Name of member of staff
 Staff initials
 Witnessed by

Record of medicine administered to an individual child (Continued)

Date			
Time given			
Dose given			
Controlled drug stock			
Name of member of staff			
Staff initials			
Witnessed by	<hr/>		

Date			
Time given			
Dose given			
Controlled drug stock			
Name of member of staff			
Staff initials			
Witnessed by	<hr/>		

Date			
Time given			
Dose given			
Controlled drug stock			
Name of member of staff			
Staff initials			
Witnessed by	<hr/>		

Date			
Time given			
Dose given			
Controlled drug stock			
Name of member of staff			
Staff initials			
Witnessed by	<hr/>		



Template E:

Record of medicine administered to all children

Date	Child's name	Time	Name of	Dose given	Any reactions	Signature	Print name	Comments



Template F: Staff training record – administration of medicines

Training can also be recorded on a matrix, in SIMS or similar database or using this form.

Name	
Type of training received	
Date of training completed	
Training provided by – print name and signature	
Refresher/update training date	
Profession and title	
I confirm I have received and understood the above training	signature

Additional training:

Type of training received	
Date of training completed	
Training provided by – print name and signature	
Refresher/update training date	
Profession and title	
I confirm I have received and understood the above training	signature

Type of training received	
Date of training completed	
Training provided by – print name and signature	
Refresher/update training date	
Profession and title	
I confirm I have received and understood the above training	signature



Contacting emergency services

Request an ambulance - dial 999, ask for an ambulance and be ready with the information below.

Speak clearly and slowly and be ready to repeat information if asked.

1. telephone number

School telephone: 01730 821329

2. Your location as follows [insert school/setting address]

School address: Rogate CE Primary School, School Lane, Rogate, GU31 5HH

3. State what the postcode is – please note that postcodes for satellite navigation systems may differ from the postal code

Postcode: GU31 5HH

4. Inform Ambulance Control of the best entrance to use and state that the crew will be met and taken to the patient

Best entrance is: School Lane – off A272 at Western end of village

5. Your name

6. Provide the exact location of the patient within the schools setting

7. Provide the name of the child and a brief description of their symptoms

8. Provide the name and telephone no of the child's doctor if you have it

9. Put a completed copy of this form by the phone



Template H –

Consent to administer non-prescribed medication on a residential visit

The schools will not administer medication unless this form is completed and signed. This information will be kept securely with your child’s other records. Whilst away if your child feels unwell the schools staff may wish to administer the appropriate non-prescription.

Please do not hesitate to contact the schools if there are any issues you wish to discuss.

Pupils name	Date of birth
Gender	Year group

If your child develops the relevant symptoms during the residential visit, with your consent they will be given a standard dose suitable to their age and weight of the appropriate non-prescribed medication. If symptoms persist medical advice will be sought and if necessary the emergency services called. You will be informed when the schools has administered medication on our return.

The schools will hold a small stock of the following medicines:

- | | | | |
|--------------------------|--|--------------------------|-------|
| <input type="checkbox"/> | Paracetamol brand | <input type="checkbox"/> | |
| <input type="checkbox"/> | Ibuprofen (pupils age 12+) brand..... | <input type="checkbox"/> | |
| <input type="checkbox"/> | Anti-histamine brand | <input type="checkbox"/> | |

Please tick the non-prescription medications that you give your consent for the schools to administer their stock of during the residential visit.

If you would like your child to be given travel sickness medication please supply medication suitable for their age and weight in its original packaging with the patient information leaflet

- Travel sickness**

I give my consent for the medications ticked above to be administered by the schools from their stock and confirm I have administered them to my child in the past without adverse effect.

Signature(s) Parent/Guardian

Date

Print name

APPENDIX 3: WSCC summary guidance medicines

Short term - prescribed medication					
Type of medication	Forms to complete	Administer:	Requirement for Individual Health Care Plan (IHP)	Training	Other
Prescribed medication e.g. Antibiotics required more than 3 times per day,	Form Template C parental consent completed for each episode Form Template E to record administration	As directed by GP/Pharmacist/Medical Professional	No IHP required	Managing Medicines in Schools available from WSCC or instruction and guidance from schools Lead for Medicines (who has completed Managing Medicines) and competency test completed scoring 100%.	Medicine labelled with the child's name and medication must be supplied by the parent/guardian in its original container, with prescriber's instructions and patient information leaflet (PIL). PIL can also be downloaded from the Electronic Medicines Compendium https://www.medicines.org.uk/emc/ Parent to take medication away if course is finished and any medication remains un-administered.
Long term – prescribed medication					
Prescribed medication e.g. Antibiotics, long term prescribed medication that is administered as part of an IHP	Parental consent is part of IHP Form Template D to record administration of medication for an individual pupil	As directed by GP/Pharmacist/Medical Professional	Template 1- IHP required complete standard form	Long term prescribed medication that requires specialist administration – training via School Nurse /Community Nursing Service Long term prescribed medication without specialist administration Managing Medicines in Schools available from WSCC or instruction and guidance from schools Lead for Medicines (who has completed Managing Medicines) and competency test completed score 100%	As short term prescribed medication and: Parents are responsible to provide The schools with medication that is in date. Schools must keep records of all communication with parents regarding requests for in date medication and/or out of date medication.

Prescribed emergency medication

Type of medication	Forms to complete	Administer:	Requirement for Individual Health Care Plan (IHP)	Training	Other
<p>Short term prescribed emergency medication e.g.</p> <ul style="list-style-type: none"> • Auto Injectors (Epipen, Jext pen Emerade) for Anaphylaxis • Asthma Inhalers i.e. salbutamol • Midazolam for epilepsy (NB controlled drug) • Other unspecified 	<p>Parental consent is part of IHP Form Template D to record administration of medication for an individual pupil NB Midazolam is a controlled drug and administration must be witnessed and record of stock recorded on Form D</p>	<p>Emergency medication - as symptoms arise and/or in the event of a medical emergency administer as per training</p>	<p>Yes IHP required complete standard forms: Template 1 for pupils with severe asthma and those needing midazolam for epilepsy Template 2 pupils with mild asthma Templates 3 or/and 4 or 5 or 6 for Anaphylaxis dependent on type of medication</p>	<p>Asthma – inhaler training renewed annually delivered by School Nursing Service Auto-injectors – Best practice that all staff are trained to administer an auto-injector training renewed annually delivered by School Nursing Service Midazolam training renewed annually available from Community Nursing Service NB basic first aid must be renewed annually to validate midazolam training – basic first aid is offered by Outdoor Ed Team Other unspecified emergency medication – training as detailed on IHP and delivered by relevant medical professional</p>	<p>As short term prescribed medication and: Parents are responsible to provide the schools with medication that that is in date. Schools must keep records of all communication with parents regarding requests for in date medication and/or out of date medication. Parents are expected to provide the schools with 2 in date asthma inhalers and/or 2 auto-injectors. Asthma protocol for administration must be followed see main policy School will hold an asthma inhaler, spacer for emergency use. If parents do not provide 2 in date auto-injectors for their child the schools will purchase an auto injector for emergency use as permitted by the Human Medicines Act 2017 All emergency medication must be readily available and not locked away this includes controlled drugs i.e. midazolam</p>

Short term ad-hoc non-prescribed medication

Type of medication	Forms to complete	Administer	Require ment for IHP	Training	Other
<p>ONLY the following may be administered if symptoms develop during the school day:</p> <ul style="list-style-type: none"> • Paracetamol, • Ibuprofen (over 12's only) • Anti-histamine • Travel sickness 	<p>Template B Parental consent - for Paracetamol, Ibuprofen (over 12's only)</p> <p>Anti-histamine gained when pupil joins school or call for consent on the day of administration and record conversation must include given before without adverse effect</p> <p>Travel sickness and other meds for residential Template C or H completed for parental consent Template E - administration of medication to all children and any conversations with parents recorded under comments.</p>	<p>All of the below follow guidance on PIL or packaging for side effects, dosage</p> <p>Consent gained when pupil joins school using template B</p> <p>Administer only where there is a health reason to do so.</p> <ul style="list-style-type: none"> • Paracetamol, • Ibuprofen (over 12's only) <p>Administer following relevant pain relief protocol see main policy and instructions on PIL and/or packaging</p> <ul style="list-style-type: none"> • Anti-histamine – administer as per instructions on PIL or packaging <p>Anti-histamine will ONLY be administered if pupil exhibits associated symptoms and not as a preventative Ibuprofen cannot be administered to pupils diagnosed with asthma Travel sickness administered for school trips</p>	No IHP required	Managing Medicines in Schools available from WSCC or instruction and guidance from schools Lead for Medicines (who has completed Managing Medicines) and competency test completed scoring 100%.	<p>School should hold a small stock of standard paracetamol, ibuprofen (age 12 and over) and anti-histamine, all in their original container, with prescriber's instructions and PIL. Medication mixed with other substances i.e. paracetamol and caffeine or paracetamol plus etc. are not permitted</p> <p>ONLY ONE STANDARD DOSE CAN BE ADMINISTERED IN SCHOOL</p> <p>BEWARE DOSAGE – guidance on packaging is based on 'average' height and weight and may need to be revised for pupils that are below average. Do not increase dose for pupils who are above average</p> <p>NB: Parents will be expected to administer a dose of anti-histamine to their child before school for hay fever; schools will only administer anti-histamine for symptoms of allergic reaction and not as a precautionary measure.</p> <p>Paracetamol and Ibuprofen – administration the schools will follow the pain relief protocol as outlined in the main policy</p> <p>Antihistamine - Staff must monitor symptoms closely if symptoms persist the emergency services should be called or prescribed an auto-injector should be administered.</p>

Other Non-prescription medicines					
Type of medication	Parental consent	Administer:	Requireme nt for IHP	Training	Other

<p>Non-prescribed medication will be administered if they are required to allow a pupil to remain in school:</p> <ul style="list-style-type: none"> • Parent/guardian confirms daily in writing the time the medication was last administered by completing Template C1 (Appendix 2 of main policy); • medication is licensed as suitable for the pupil's age; • administration is required more than 3 times per day; • medication is supplied by the parent or guardian in the original packaging with the manufacturer's instructions and/or (PIL); • and accompanied by parental/guardian consent Template C and C1 (Appendix 2) and confirmation the medication has been administered previously without adverse effect; <p>Will NOT be administered: The schools will NOT administer non-prescription medication:</p> <ul style="list-style-type: none"> • as a preventative, i.e. in case the pupil develops symptoms during the school day; • if the pupil is taking other prescribed or non-prescribed medication, i.e. only one non-prescription medication will be administered at a time; • for more than 48 hours – Any requirement for a non-prescription medication to be administered during school hours for longer than 48 hours must be accompanied by a Doctor's note. In the absence of a Doctor's note and if following the administration of a non-prescription medication symptoms have not begun to lessen in the first 48 hours The schools will advise the parent to contact their Doctor. If symptoms have begun to alleviate, the medication can continue to be administered at home out of school hours. Under very exceptional circumstances where the continued administration of a non-prescribed medication is required to keep the pupil in school and this requirement has not been documented by a medical professional The schools will continue to administer medication at their own discretion. • A request to administer a different non-prescription medication that is for the same/initial condition will not 	<p>Template C and C1 for parental consent and info on medication Template C1 used to record administration or Template E depending on schools admin procedures</p>	<p>Administer as instructions on medication</p>	<p>No IHP required</p>	<p>Managing Medicines in Schools available from WSCC or instruction and guidance from schools Lead for Medicines and competency test completed scoring 100%.</p>	<p>Medicine supplied by the parent/guardian in its original container, with prescriber's instructions and patient information leaflet (PIL). PIL can also be downloaded from the Electronic Medicines Compendium https://www.medicines.org.uk/emc/ Parent to take medication away if course is finished and any medication remains un-administered.</p>
---	--	---	------------------------	--	---

<p>be repeated for 2 weeks after the initial episode; and not for more than 2 episodes per term - it will be assumed that the prolonged expression of symptoms requires medical intervention, and parents/guardians will be advised to contact their doctor.</p> <ul style="list-style-type: none">• Skin creams and lotions will only be administered in accordance with the Schools Intimate Care Policy and procedures.• Medication that is sucked i.e. sweets or lozenges, will not be administered by the school.• if parents/guardians have forgotten to administer non-prescription medication that is required before school – requests to administer will be at the discretion of The schools and considered on an individual basis.					
---	--	--	--	--	--